engineering fracture mechanics

List of Contents and Author Index
Volume 42, 1992

PERGAMON PRESS

OXFORD · NEW YORK · SEOUL · TOKYO

engineering fracture mechanics

An International Journal

EDITOR-IN-CHIEF

PROFESSOR HAROLD LIEBOWITZ

c/o A.E.R.D.C.O.
P.O. Box 25736
Washington, DC 20007-8736, U.S.A.

EDITORIAL ADVISORY BOARD

PROFESSOR S. N. ATLURI
Georgia, U.S.A.

DR. ZDENEK BILEK
Brno, Czechoslovakia

PROFESSOR BRUNO A. BOLEY
New York, U.S.A.

DR. DAVID BROEK
Ohio, U.S.A.

PROFESSOR JANNE CARLSSON
Stockholm, Sweden

PROFESSOR G. P. CHEREPANOV
Moscow, Russia

PROFESSOR H. T. CORTEN
Illinois, U.S.A.

DR. THEODOR GAYMANN
Munich, Federal Republic of Germany

DR. GEORGE T. HAHN
Ohio, U.S.A.

PROFESSOR GEORGE HERRMANN
California, U.S.A.

PROFESSOR D. L. JONES
Washington, D.C., U.S.A.

PROFESSOR HIROSHI KIHARA
Tokyo, Japan

DR. J. M. KRAFFT
Virginia, U.S.A.

PROFESSOR JAMES D. LEE
Washington, D.C., U.S.A.

PROFESSOR FRANK A. McCLINTOCK
Massachusetts, U.S.A.

PROFESSOR A. J. McEVILY
Connecticut, U.S.A.

PROFESSOR JAROSLAV NEMEC
Prague, Czechoslovakia

DR. NICHOLAS PERRONE
Maryland, U.S.A.

DR. J. SCHIJVE
Delft, The Netherlands

DR. WALTER SCHUTZ
Ottobrunn, Federal Republic of Germany

PROFESSOR GEORGE C. SIH
Pennsylvania, U.S.A.

PROFESSOR JAN-HAN YANG
California, U.S.A.

PROFESSOR TAKEO YOKOBORI
Utsunomiya, Japan

Publishing, Subscription and Advertising Offices: Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW, England; or Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Subscription Rates
Annual Institutional Subscription Rate (1992): £1060.00 (US$1925.00). Two-year Institutional Rate (1992/93): £2014.00 (US$3657.50). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice.
Second class postage paid at RAHWAY NJ. Postmaster send address corrections to Engineering Fracture Mechanics, c/o Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.
Subscription rates for Japan are available on request.

Published Monthly plus Additional Issues in January, March, May, July, September and November (Three Volumes 1992). Subscription enquiries from customers in North America should be sent to Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. and for the remainder of the world to Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW, England.

Back Issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Press offices.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Copyright © 1992 Pergamon Press Ltd.

List of Contents

NUMBER 1

E. B. Shields, T. S. Srivatsan and **J. Padovan**	1	Analytical methods for evaluation of stress intensity factors and fatigue crack growth
C. P. Jiang and **C. T. Liu**	27	Stress distribution around a rigid line in dissimilar media
Xiaosheng Gao and **Zhen-Bang Kuang**	33	Mode I fracture in two dissimilar functional non-homogeneous planes
Wang Yuanhan	45	Analysis of an edge-cracked body subjected to a longitudinal shear force
Xu Li	51	Conservation laws and dual conservation laws for crack problems in homogeneous isotropic conductive solids
N. Ranganathan, M. Benguediab, C. Nicolas, G. Henaff and **J. Petit**	59	Fatigue crack propagation under block loading analysed in terms of equivalent loading concepts
Meng Qing Chun and **Zhang Xing**	73	Analytical–generalized variational method of solution for delamination of bi-metal glued joints
Liang Ban and **X. S. Zhang**	79	The problem of a concentric penny-shaped crack of mode III in a nonhomogeneous finite cylinder
S. Aoki and **X. F. Luo**	87	Three-dimensional analyses of interface crack front fields
W. Cheng, I. Finnie and **Ö. Vardar**	97	Deformation of an edge-cracked strip subjected to normal surface traction on the crack faces
Xiangqiao Yan, Zeha Zhang and **Shanyi Du**	109	Mixed-mode fracture criteria for the materials with different yield strengths in tension and compression
Won Ho Yang, Yong Shick Choy and **Myoung Rae Cho**	117	A fracture mechanics analysis of a crack in a variable thickness plate having a fillet (thin-to-thick type)
Z. D. Jiang, J. Petit and **G. Bezine**	129	An investigation of stress intensity factors for two unequal parallel cracks in a finite width plate
V. M. Karbhari and **D. J. Wilkins**	139	A dimensional analysis approach to notch sensitivity and fracture of composites with applications to design
R. Kumar	151	A review on crack closure for single overload, programmed and block loadings
Wei Shen and **Cuisheng Wu**	159	Computer simulation for damage–failure process of composite plate under high-speed impact

Yi Zhi-Jian	169	The near crack line solution for plane stress tensile crack growth in an elastic–perfectly plastic material
Wang Tie-jun	177	Unified CDM model and local criterion for ductile fracture—I. Unified CDM model for ductile fracture
Wang Tie-jun	185	Unified CDM model and local criterion for ductile fracture—II. Ductile fracture local criterion based on the CDM model
J. A. Nairn and **Sung-Ryong Kim**	195	A fracture mechanics analysis of multiple cracking in coatings
	209	Erratum
	I	Software Survey Section

NUMBER 2

K.-H. Schwalbe	211	Ductile crack growth under plane stress conditions: size effects and structural assessment—I. Size and geometry effects on crack growth resistance
K.-H. Schwalbe and **L. Grüter**	221	Ductile crack growth under plane stress conditions: size effects and structural assessment—II. Assessment of circumferential through-cracks in austenitic steel pipes using the δ_5 technique and the Engineering Treatment Model
Xiaomin Deng	237	Complete complex series expansions of near-tip fields for steadily growing interface cracks in dissimilar isotropic materials
M. Beghini, L. Bertini and **E. Vitale**	243	Evaluation of the elastic stress distribution ahead of a crack by weight functions
M. Konsta-Gdoutos and **E. E. Gdoutos**	251	Limits of applicability of the method of caustics in crack problems
Liu Yong	265	The axial stress intensity factors in autofrettaged cylinders with external hoop cracks
S. B. Liu and **C. L. Tan**	273	Two-dimensional boundary element contact mechanics analysis of angled crack problems
C. W. Woo and **Y. H. Wang**	289	Analysis of an edge crack in a finite bi-material plate
X. M. Chen, C. Q. Zheng and **H. G. Hahn**	299	Analysis of the 3D fracture characteristics of CT specimens in the elastic–plastic state
X. Zhang, A. S. L. Chan and **G. A. O. Davies**	305	Numerical simulation of fatigue crack growth under complex loading sequences

E. M. S. Nair, P. A. S. Moorthy, C. Ganapathy and **N. G. Nair**	323	Fracture initiation in elastic–plastic bodies
N. Hasebe, H. Irikura and **T. Nakamura**	331	Stress intensity factors of cracks initiating from a rhombic hole due to uniform heat flux
S. Butler and **J. M. Mínguez**	339	Implications of fracture mechanics in engineering design
G. Frantziskonis, C. S. Desai, F. F. Tang and **D. Daniewicz**	347	Degradation mechanisms in brittle materials investigated by ultrasonic scanning
M. R. Karim, M. A. Awal and **T. Kundu**	371	Numerical analysis of guided wave scattering by multiple cracks in plates: SH-case
T. Y. Kam and **T. Y. Lee**	381	Detection of cracks in structures using modal test data
R. Kumar	389	Review on crack closure for constant amplitude loading in fatigue
		Technical Note
Qingfen Li, Dongyan Shi, Jiaquan Wei and **Boming Zhong**	401	A study of the J–COD relationship
		Discussion
G. Tsamasphyros and **E. E. Theotokoglou**	405	The finite element alternating method
	I	Software Survey Section

NUMBER 3

D. Radaj and **S. Zhang**	407	Stress intensity factors for spot welds between plates of dissimilar materials
De-yu Cui, Xing Zhang and **Dong-shan Fu**	427	Analytical–generalized variational method in solution of the stress intensity factors for a double notch edge crack in an orthotropic plate subjected to pin loads
T. Fett	435	Direct determination of weight functions from reference loading cases and geometrical conditions
T. Kondo	445	Singular stresses at the tips of a crack terminating at the interface of two bonded anisotropic media subjected to longitudinal shear loading
E. Smith	453	The effect of free surfaces on the K-crack growth resistance curve for a ligament toughened brittle material
D. A. Wagner, G. P. Sendeckyj and **S. D. Sheppard**	461	Verification of fracture parameter for uncoupled thermoinelasticity

D. M. Finch	479	Effects of welding residual stresses on significance of defects in various types of welded joint—II
G. J. Dvorak, J. Zarzour and **Y. Benveniste**	501	Fracture of fibrous metal matrix composites—IV. Plastic zones, local stresses and fracture strength
G. A. Kardomateas	519	Spot weld failure from buckling-induced stressing of beams under cyclic bending and torsion
P. Pusz	531	On the stress distribution in a microperiodic two-layered composite with a crack normal to the layering
J. P. Lucas	543	Delamination fracture: effect of fiber orientation on fracture of a continuous fiber composite laminate
		Technical Note
R. Kumar	563	Prediction of delay cycles due to instant of single overload cycles
	I	Software Survey Section

NUMBER 4

K. P. Herrmann and **A. Noe**	573	Analysis of quasistatic and dynamic interface crack extension by the method of caustics
H. Cai, J. T. Evans and **D. Boomer**	589	Acoustic emission analysis of stable and unstable fracture in high strength aluminium alloys
O. Ditlevsen	601	Uniquely defined unit of stress intensity range as a statistical material population property entering the Paris–Erdogan equation
D. Bigoni	617	Strain localization in axially-symmetric compression of brittle-cohesive materials
N. T. Younis and **J. Njock Libii**	629	Determination of K_I and K_{II} by using a least-squares method with caustics
W. C. Kim and **C. K. H. Dharan**	643	Facesheet debonding criteria for composite sandwich panels under in-plane compression
R. S. Dhaliwal, H. S. Saxena and **J. G. Rokne**	653	Antiplanar shear problem for a crack between dissimilar nonhomogeneous isotropic elastic layers
J. M. Greig, P. S. Leevers and **P. Yayla**	663	Rapid crack propagation in pressurised plastic pipe—I. Full-scale and small-scale RCP testing
P. Yayla and **P. S. Leevers**	675	Rapid crack propagation in pressurised plastic pipe—II. Critical pressures for polyethylene pipe
A. C. Chambers, J. J. Webster and **T. H. Hyde**	683	Stationary creep mixed mode crack tip stress fields and correlation with experimental crack growth data

Guangxia Li, Hanxing Zhu, Changchun Li and **H. Kitagawa**	693	Effects of pre-deformation on the fracture toughness and COD-reduced factor β of low-carbon steels
		Technical Note
G. M. Newaz and **B. S. Majumdar**	699	Crack initiation around holes in a unidirectional MMC under fatigue loading
	I	Software Survey Section
		NUMBER 5
T. P. J. Mikkola	713	Method for calculating stress intensity factors for surface cracks
Feng Chen	731	Weight function method for mixed-mode loading and mixed boundary conditions
H. Q. Liu and **G. C. Li**	737	Plastic stress–strain fields and blunting effects during large deformations
M. Perl and **A. Ashkenazi**	747	A more realistic thermal shock analysis of a radially multicracked thick-walled cylinder
Y. L. Xu and **F. Delale**	757	Stress intensity factors for an internal or edge crack in a circular elastic disk subjected to concentrated or distributed loads
H. Fan and **L. M. Keer**	789	The early stage of fatigue crack propagation
T. Akyürek and **Ö. G. Bilir**	797	A survey of fatigue crack growth life estimation methodologies
M. K. Kuo and **T. Y. Chen**	805	The Wiener–Hopf technique in elastodynamic crack problems with characteristic lengths in loading
Xiao Wei and **Chen Ronghua**	815	The J-integral and its dominant region
Y. W. Kwon	825	Analysis of crack closure in unidirectional composite plates subject to bending loads
Yi Zhi-Jian	833	The new and analytical solutions for mode III cracks in an elastic–perfectly plastic material
H. K. Shee, H. Y. Chen and **T. W. Yang**	841	Failure analysis and reliability improvement of small turbine engine blades
		Technical Notes
Wang Yuanhan	853	Cracks at the edge of a hole in a finite longitudinal shear plate
H. Alawi and **I. E. Saleh**	861	Fatigue crack growth retardation by bonding patches
V. K. Srivastava	869	Prediction of crack tip opening displacement of fibre composites

Chang Xian Ma and **Zu Han Lai** 873 An efficient method to display crack front profile in fracture test specimens

T. S. Srivatsan and **D. Lanning, Jr.** 877 Cyclic strain resistance and fracture behavior of 7150 aluminum alloy

I Software Survey Section

NUMBER 6

M. Goto 893 Corrosion fatigue behavior of a heat-treated carbon steel and its statistical characteristics

Y. Toi and **D. Isobe** 911 Static and dynamic finite element analysis of transformation toughening in ceramic materials

J. Domínguez and **J. Zapatero** 925 Effect of the loading spectrum and history length on fatigue life distribution under random loading

K. N. Shivakumar and **I. S. Raju** 935 An equivalent domain integral method for three-dimensional mixed-mode fracture problems

P. W. Claydon 961 Maximum energy release rate distribution from a generalized 3D virtual crack extension method

Y. H. Wang, Y. K. Cheung and **C. W. Woo** 971 Anti-plane shear problem for an edge crack in a finite orthotropic plate

Chyanbin Hwu and **Jian S. Hu** 977 Stress intensity factors and energy release rates of delaminations in composite laminates

P. R. Arora, B. Dattaguru and **H. S. Subramanya Hande** 989 The fatigue crack growth rate in L-72 Al-alloy plate specimens with cold worked holes

Baotong Lü and **Xiulin Zheng** 1001 A model for predicting fatigue crack growth behaviour of a low alloy steel at low temperatures

Technical Notes

H. Wu and **D. D. Pollard** 1011 Modeling a fracture set in a layered brittle material

K. D. Thompson and **S. D. Sheppard** 1019 Stress intensity factors in shafts subjected to torsion and axial loading

A. Carpinteri 1035 Stress intensity factors for straight-fronted edge cracks in round bars

I. Avnon and **D. Z. Yankelevsky** 1041 Crack interactions during dynamic loading on a Hardened Cement Paste specimen

P. R. Sreenivasan, S. K. Ray, K. G. Samuel and **S. L. Mannan** 1047 An empirical relation between yield stress and general yield load for a Charpy U-notch specimen

1051 Corrigendum

I Software Survey Section

i Index to Volume 42

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.